


# HARNESS THE POWER OF YOUR MANUFACTURING TEST DATA

NEXT-GENERATION TEST-DATA MANAGEMENT AND ANALYTICS FOR ADVANCED MANUFACTURERS





STREAMLINE PRODUCTION



**HELPING YOU MAKE INFORMED DECISIONS** 



#### Tequra Analytics features

## **REDUCE DEFECTS**

Tequra Analytics enables you to lift the veil on your processes through aggregated analysis of your test data. Using the web dashboard, you can display real-time Six-Sigma quality metrics, report yields, correlate issues against common factors and track product history.

Measure Quality 1 **Report Yields** 

5


(] Detects Training, Equipment or Supplier Issues

- ATP

- ATP

2014-05-13 22:34:54 59.0799074 Passed

2014-05-13 22:33:34 65.9935987 Failed




•••									100				
💥 Tegura						E H.SMB	- Ter	- 1	Skluanith -		2014-05-13	0	Turret AIT -
Search. 9	Capability was constitute young						_	Р	22:34 assed	Υ.	Execution Data Start Date:		
I Deshboard								VPOX				Start Time:	
4.0% v	Process Name Mobile Dev Capability-therformance Operation Name Deset Unit		ice Manufacturing	Applicable 1	ento -	At Texts							Duration: Status:
			t Test	· Result Statu		Al						Links Results List	
			98761234 - Mobile Device - SA(001 +										
Production Timing	0%Ampin	<b>m</b> 3		O THEFTO					<b>B</b> O	_			
di Projecta	Run Clear fitter(s)	Run Clear fitterss								_	2014-05-13		-
Locations/Kreas	• • • • 100 • Kerre per page						1-	23 of 23 items	_	22:33		Turret AIT -	
	Test Group		Test: Name		Test Para	neter Summary Cpk Ppk # of results		# of results	_		Ť	European Date	
// Manufacturers	<ul> <li>3-Battery Test</li> </ul>		BAT-005 - Read Discharge Current.				0.529 0.536 842		842	Failed		Execution Data Start Date:	
Equipment	5.1 · Wireless Communications		WF-005 - tienty Transmit Signal Sensitivity				1.613	1.654	842	_	rancu		Start Date: Start Time:
Stations	<ul> <li>3 - Bettery Test</li> </ul>		BAT-001 - Read Battery Voltage				1.805	1,342	842	_			Duration:
	+ 3-Settery lest		BAT-003 - Read Charge Current				2.3	1,782	802	_			Status:
Software	+ 5.1 - Wineless Communications		WIF-003 - Wertly Receive Signal Sensitivity				1.817	1.895	842	_			318103
O Units	+ 5.2 - Cellular Communications		3G-005 - Verify Transmit Signal Sensitivity				1.875	1.966	842				Links
Nork Orders			NFC-005 - Verify Transmit Signal	S - Verify Transmit Signal Sensitivity			2.82	1,375	842				Results List
	<ul> <li>4.1 - Colour Intensity Check</li> </ul>		COL-002 - Verify Red Light				3.801	2.512	842				rise and a failed
Processes/Operations	<ul> <li>5.2 - Dellular Com</li> </ul>	munications	36.018 - Verify Receive Siznal S	ratists			2.822	2.063	842				


### **ZERO IN ON ISSUES**

Access the tools you need to identify, investigate and solve manufacturing issues. With real-time analysis and identification of common issues, you can focus your efforts where they are most needed. Measurement trends and spreads are represented in a clear graphical manner, bringing the data to life.



- Common Issues **Real-Time Data**
- Identify Trends
- Visual Waveform Comparison







#### EXCELLENT **COMPATIBILIT**

Tegura Analytics is designed to be compatible with the systems and data you have now, as well as those you may create or adopt in the future.

With support available for all common data types and development platforms, it can seamlessly integrate into your organisation.



#### **GLOBAL** CONNECTIVITY

Highly flexible connection options enable you to get access to your data in the way you want. With well proven database and web technologies at its core, combined with cloud and on-premise options, Tequra Analytics is a great choice for your organisation whatever its size.

- Any Device, Any Location (J
- Global Production: Ready
- Cloud or On-Premise



#### SECURE AND COMPLIANT

Ensure your test data is securely protected and archived by using Tequra Analytics. Designed to run in a high reliability server environment, featuring built-in access control, it is a superior alternative to local storage on production line PCs. Enhanced parameter tracking combined with data archiving ensures you are well equipped to answer any future compliance questions, or field failure investigations.

Centralised Management

Access Control Protection of Data Enhanced Tracking

a manufacture	Party and Provide of	Lane pri tel	provide a	11000 01 01 010	1010.00		-	-
· Maintaine	Note Sea Redearing	Construction in a	permanan a	100ap-01-041-0214	10,010,700,000			Annual
· Martin Denter	Reput for a Manhotomy	Charton Int.	percent of	Trany Million (2014)	14103-01140			Annual
· montaine	Balaciania Mandolucing	closed and has	Sectors.	Instanting Street West	10000000	10		Annual
· Main Inde	Anto Aria Mechaning	Restriction has	quinter 2	many-languages (2014)	10,010,000,000			Anna
· Marin Series	Matter Device Mercelschuring	Department has	(Million )	Filling BE (set 2014	10,000,000,000			Annual
- Malife Benine	Balls Sens Readering	Conservation fast	(second)	Traing-Bit (arr (2018)	1.00044070	- 14		Record
· Marin banks	Maria Street Manufacturing	Constitution for	(MARCHARD)	Frank Million (2014)	1.01.00.000			Annual
- Marin Barlar	these lines Manhatures	freed on her	Contraction in the local division of the loc	100405-00100	10081158	10		Page 1
· Marin Innia	Relative Reducing	Description has	PRODUCT.	Protogram (see claims	10000100			in the second
· Marin Derive	Ball Sea Brokering	Country Ind.	(particular)	1100g 81 (cr. 2014	10004000			-
· Mathematica	Mathematica Manufacturing	Country to be	passes.	Franky Bill part (2014)	Saturation (			Parent .
+ mentalmente	Name David Manufacturing	depend that	Sectors.	Instanting and inter-	10,000,015,000		1	August 1
· Marine Section	Restautes Mandonaring	front over how	(and the second	Probable good line	10.0107-010-000			Name of Street
· monthlense	Hole Deta Handaharing	Count over last	<b>Quinters</b>	Fraing Rd Gar 2014	10,010,710,000			Annual Votes
· Malife Barlin	Balls Sein Rechtung	Country Int.	Designation of the local division of the loc	Filling Rd (pr. 1974)	10100			Annual Votes
· Male bena	Material Series Manufacturing	Construction for	particular.	Transpill per print	TATIBACKIE			Summer of
- Marin Barley	Balls Brie Manhouring	these or her	Sectore 1	Pally \$7 publics	12110010			Annat
a Matthe latence	Materiana Mechanying	departure has	and the second	Protogram (arr 2018)	100108060	10		Annual Votes
· Mathematics	Mathematica Mechanica	Description has	(and the second	Friday 810 (co. 1004)	1.0110.000			Annual Votes
· Malific Design	Name Dross Handholsong	Department loss	partnerse .	Frank An or USER	14113-14040			fundament .
- Mally Balle	Ratio Sens Merchaning	free or he	940000	Filley 81 (arr 1974)	15.0010.0010			Record
· Martin Braile	National Networkshow	themisty has	1000000	Trainy Britan Ultra	1.011.011.00	10		function (
· Mathematics	Name Dates Washington	Canadi pro feet	(And the second	Fieldy 81 (un 2018	10.0111-0.0000			Annual Votes
<ul> <li>Matrix Sector</li> </ul>	And the large Manufacturing	Country of Aut	and the second second	10000-010-0114	1,000,0000	-		Sec. 1
· Malife Series	Ratio Seco Haubstoring	Case ou be	-	11004-010-011	1.008.00810			Name of
· mark here	maintain madesing	there are be	and the second	Traing Responsible	10102100			Annual Votes
· Mathematic	Note Into Neukoung	Contraction for	100000	mag in pr. the	1000000			And a local diversity of the local diversity
· Matthe Banka	Mathematica Mandhaturing	dependent free	(particular)	Protog Rin (pr. 2014)	10 providences			Annual
· management	Martin Territor Marcal Street Street	Concernant Sector	and the second second	The second second second	In such such as			



Visit tequraanalytics.com or call us on

Europe/Int: +44 (0)845 468 2886

North America: +1 877-717-1190

Simplicity 🗃 A product developed by





tequraanalytics.com

Europe/Int: +44 (0)845 468 2886

> North America: +1 877-717-1190